L Number	Hits	Search Text	DB	Time stamp
8	6	"device driver" with (error near handling)	USPAT	2004/05/06 20:26
9	21	"device driver" with (error near hand1\$4)	USPAT	2004/05/06 20:26
10	2	"device driver" with (error near handl\$4)	USPAT	2004/05/06 20:30
	_	and web and server		
14	1	driver near5 (error near handl\$4) and web	USPAT	2004/05/06 20:31
		and server		
18	0	( (device near6 driver) same (error adj	USPAT	2004/05/06 20:37
		handl\$4)) and (remote with diagnostic) and		
		(web adj server)		
19	51		USPAT	2004/05/06 20:37
		handl\$4))		
20	2		USPAT	2004/05/06 21:22
		handl\$4)) and (remote with diagnostic)		
22	0	(=====================================	USPAT	2004/05/06 21:25
		and diagnos\$4 and (device adj driver) and	1	·
24	4.2	error and (handling handler) and html	TICDAM.	2004/05/06 21 25
24	43	<pre>(remote near4 configuration) and monitoring and diagnos\$4 and (device adj driver)</pre>	USPAT	2004/05/06 21:25
25	38		USPAT	2004/05/06 21:25
25	30	and diagnos\$4 and (device adj driver) and	USPAI	2004/05/06 21:25
		error and (handling handler)		
28	20		USPAT	2004/05/06 21:28
	_*	and diagnos\$4 and (device adj driver) and		
		error and (handling handler) and ( server		
		web\$server webserver)		
29	3		USPAT	2004/05/06 21:29
		diagnostic		
30	2	microsoft.as. and remote and web and server	USPAT	2004/05/06 21:30
		and diagnostic\$1 and device and driver		
36	15	, , , , , , , , , , , , , , , , , , , ,	USPAT	2004/05/06 21:38
		handl\$3))		
37	48	, , ,	USPAT	2004/05/06 21:46
20		handl\$3))	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2004/05/06 21 42
38	0	((device adj driver) same (error adj   handl\$3)) and (web adj server)	USPAT	2004/05/06 21:42
39	0	1	USPAT	2004/05/06 21:42
39		handl\$3)) and ((web http) adj server)	USFAI	2004/03/00 21.42
40	0	((device adj driver) same (error adj	USPAT	2004/05/06 21:43
	Ĭ	handl\$3)) and ((web http remote) adj server)	002111	2001,03,00 21.13
41	19		USPAT	2004/05/06 21:48
42	4	Driver adj Level adj Diagnostics	USPAT	2004/05/06 23:09
-	2	"real-time device driver"	USPAT	2003/09/26 17:50
-	0	"real-time device driver" and "error	USPAT	2003/09/26 17:48
		handling"		
<b> </b> -	0	"real-time device driver" and monitor\$3 and	USPAT	2003/09/26 17:50
		state and message		
-	6230	device adj driver	USPAT	2004/05/05 16:09
-	6230		USPAT	2003/09/26 17:55
-	14	"device driver" and monitor\$3 and (driver near information) and diagnos\$3 and display	USPAT	2004/05/06 20:24
		and result		
_	0	"device driver" and monitor\$3 and (driver	USPAT	2003/09/26 17:58
		near information) and diagnos\$3 and display	JULIA	2003,05/20 17:50
		and result and (web near server)		
_	0	1	USPAT	2003/09/26 17:58
	_	near information) and diagnos\$3 and display		
		and result and web and server		
-	0	"device driver" and monitor\$3 and (driver	USPAT	2003/09/26 17:58
		near information) and diagnos\$3 and display		
		and result and web		
-	6		USPAT	2004/05/05 12:55
		near information) and diagnos\$3 and display		
	_	and result and server	HODAT	2002/00/25 22 52
-	6	"device driver" and monitor\$3 and (driver	USPAT	2003/09/26 18:02
		near information) and diagnos\$3 and display and result and server and first and second		
		and result and server and first and second and third		
_	1	"device driver" and monitor\$3 and (driver	USPAT	2003/09/26 18:02
		near information) and diagnos\$3 and display		2000,00,20 10.02
		and result and server and first and second	1	
		and third and real-time	1	
·	L		.l.,,	· · · · · · · · · · · · · · · · · · ·

		•		
-	1	"device driver" and monitor\$3 and (driver	USPAT	2003/09/29 10:36
		near information) and diagnos\$3 and display		
İ		and result and server and first and second		
	_	and third and (real near time)	HODAM	2004/05/05 12 22
-	1	"device driver" and monitor\$3 and (driver   near information) and diagnos\$3 and display	USPAT	2004/05/05 13:22
		and result and server and first and second		
		and third and (real near time) and real-time		
-	3244944		USPAT	2003/09/29 15:37
-	1546		USPAT	2003/09/29 15:44
		time") and ("device driver")		
-	14		USPAT	2003/09/29 15:44
		near information) and diagnos\$3 and display and result		
_	3		USPAT	2003/09/29 15:44
		near information) and diagnos\$3 and display		2005, 05, 25
		and result ) and (web or internet)		
-	335	1 , , , , , , , , , , , , , , , , , , ,	USPAT	2003/09/29 15:45
		time") and ("device driver")) and error and		
	247	(internet or web)	HODAM	2003/00/00 15 45
_	247	((713/2, "1") and ("real-time" or "real time") and ("device driver")) and error and	USPAT	2003/09/29 15:45
		(internet or web) and monitor and error		]
_	83	1 ,	USPAT	2004/05/05 16:02
		driver)		
-	25	' ' ' '	USPAT	2004/05/05 12:58
		adj driver)) and monitor\$3 and stor\$3 and		
		configur\$3 and error and hand\$5	HODAM	2004/05/05 12 10
<u> </u>	4	(((real adj time) real\$time) with (device adj driver)) and monitor\$3 and stor\$3 and	USPAT	2004/05/05 13:10
		configur\$3 and error and hand\$5 and web and		
		server		
-	4	(((real adj time) real\$time) with (device	USPAT	2004/05/05 12:59
1		adj driver)) and monitor\$3 and stor\$3 and		
]		configur\$3 and error and hand\$5 and web and		
	,	server and diagnos\$5	HODAM	2004/05/05 12 50
_	3	(((real adj time) real\$time) with (device adj driver)) and monitor\$3 and stor\$3 and	USPAT	2004/05/05 12:59
		configur\$3 and error and hand\$5 and web and		
		server and diagnos\$5 and remote and		
		display\$3 and result		
-	0	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT	2004/05/05 13:02
	1.5	handl\$3)) and (web adj server)	HODAE	2004/05/05 12 04
_	15	((device adj driver) with (error adj handl\$3))	USPAT	2004/05/05 13:04
_	0	l	USPAT	2004/05/06 21:34
		handl\$3)) and web and server		
-	12		USPAT	2004/05/05 13:05
		and server		
_	3	, , , , , , , , , , , , , , , , , , ,	USPAT	2004/05/05 13:05
	156	automatic )) and web and server ((real adj time) real\$time) with (device adj	HCDATT -	2004/05/05 12:10
_	130	driver)	USPAT; US-PGPUB;	2004/05/05 13:10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	(((real adj time) real\$time) with (device	USPAT	2004/05/05 13:14
		adj driver)) and monitor\$3 and stor\$3 and		
		configur\$3 and error and hand\$5 and web and server		
-	760	!	USPAT	2004/05/05 13:14
_	4	intranet near4 LAN near4 web adj server	USPAT	2004/05/05 13:14
	0	(web adj server) near4 driver near4 handl\$3	USPAT	2004/05/06 20:14
-	l .	(web adj server) near4 driver	USPAT	2004/05/05 13:24
-	9	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT	2004/05/05 16:20
_	1	and device and hand\$4 ((web adj server) near4 driver ) and error	USPAT	2004/05/05 14:40
		and device and hand\$4 and (driver adj	USPAI	2004/03/03 14:40
		information)		
-	0	((real adj time) real\$time) with (device adj	USPAT	2004/05/05 16:02
	<u></u>	driver) same (error near2 handling)	<u> </u>	

driver) same (error near2 handling)    Joseph	/05/05 16:03 /05/05 16:12 /05/05 16:08 /05/05 16:13 /05/05 16:12 /05/05 16:11
Comparison of the comparison	/05/05 16:03 /05/05 16:08 /05/05 16:13 /05/05 16:12 /05/05 16:11 /05/05 16:13
- 37 ((real adj time) real\$time) with (error near2 handling) - 5 ((real adj time) real\$time) with (error DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT 200 30 device adj driver same (error adj handling) and (real\$time real adj time) - 0 device adj driver same (error adj handling) same (automatic on\$fly on adj fly dynamically) - 7 ((real adj time) real\$time) with (error near2 handling) and web and server - 3 ((real adj time) real\$time) with (error near2 handling) and web and server and (device adj driver) - 3 ((real adj time) real\$time) with (error USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT 200 3 ((real adj time) real\$time) with (error USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT 100 5 ((real adj time) real\$time) with (error USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT 200 5 ((real adj time) real\$time) with (error USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT 200 5 ((real adj time) real\$time) with (error USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT 200 6 (device adj driver) (device adj dr	/05/05 16:03 /05/05 16:08 /05/05 16:13 /05/05 16:12 /05/05 16:11 /05/05 16:13
- 37 ((real adj time) real\$time) with (error near2 handling)  - 5 ((real adj time) real\$time) with (error near2 handling) and (device adj driver)  - 5 ((real adj time) real\$time) with (error near2 handling) and device near3 driver  - 5 ((real adj time) real\$time) with (error near2 handling) and device near3 driver  - 5 ((real adj time) real\$time) with (error near2 handling) and device near3 driver  - 8 device adj driver same (error adj handling) and (real\$time real adj time)  - 8 device adj driver same (error adj handling) and (real\$time real adj time)  - 0 device adj driver same (error adj handling) same (automatic on\$fly on adj fly dynamically)  - 7 ((real adj time) real\$time) with (error near2 handling) and web and server  - 3 ((real adj time) real\$time) with (error near2 handling) and web and server and (device adj driver)  - 0 device adj driver same (error adj handling) same automatic  - 0 device adj driver same (error adj handling) same automatic  - 0 device adj driver same (error adj handling) same automatic	/05/05 16:03 /05/05 16:08 /05/05 16:13 /05/05 16:12 /05/05 16:11 /05/05 16:13
Company   Comp	/05/05 16:03 /05/05 16:08 /05/05 16:13 /05/05 16:12 /05/05 16:11 /05/05 16:13
near2 handling)    Comparison of the proof o	/05/05 16:03 /05/05 16:08 /05/05 16:13 /05/05 16:12 /05/05 16:11 /05/05 16:13
Comparison of the content of the c	/05/05 16:08 /05/05 16:13 /05/05 16:12 /05/05 16:11 /05/05 16:13
- 5 ((real adj time) real\$time) with (error near2 handling) and (device adj driver)  - 5 ((real adj time) real\$time) with (error near2 handling) and device near3 driver  - 5 ((real adj time) real\$time) with (error near2 handling) and device near3 driver  - 30 device adj driver same (error adj handling) uspat; EPO; JPO; DERWENT; IBM_TDB uspat; - 8 device adj driver same (error adj handling) and (real\$time real adj time) - 0 device adj driver same (error adj handling) same (automatic on\$fly on adj fly dynamically)  - 7 ((real adj time) real\$time) with (error near2 handling) and web and server  - 3 ((real adj time) real\$time) with (error near2 handling) and web and server  - 3 ((real adj time) real\$time) with (error near2 handling) and web and server and (device adj driver)  - 0 device adj driver same (error adj handling) uspat; IBM_TDB	/05/05 16:08 /05/05 16:13 /05/05 16:12 /05/05 16:11 /05/05 16:13
- S ((real adj time) real\$time) with (error near2 handling) and (device adj driver) USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT; 1BM_TDB USPAT 2000 and (real\$time real adj time) and (real\$time real adj time) uspat 2000 and (real\$time) with (error near2 handling) and web and server USPAT; 2000 DERWENT; IBM_TDB (device adj driver) uspat; 2000 DERWENT; IBM_TDB USPAT 20	/05/05 16:08 /05/05 16:13 /05/05 16:12 /05/05 16:11 /05/05 16:13
- S ((real adj time) real\$time) with (error near2 handling) and (device adj driver) USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT; 1BM_TDB USPAT 2000 and (real\$time real adj time) and (real\$time real adj time) uspat 2000 and (real\$time) with (error near2 handling) and web and server USPAT; 2000 DERWENT; IBM_TDB (device adj driver) uspat; 2000 DERWENT; IBM_TDB USPAT 20	/05/05 16:08 /05/05 16:13 /05/05 16:12 /05/05 16:11 /05/05 16:13
near2 handling) and (device adj driver)    Derwent;   D	/05/05 16:08 /05/05 16:13 /05/05 16:12 /05/05 16:11 /05/05 16:13
near2 handling) and (device adj driver)    Degret   Degre	/05/05 16:08 /05/05 16:13 /05/05 16:12 /05/05 16:11 /05/05 16:13
DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT IBM_TDB USPAT  Output DERWENT; ISM_TDB USPAT  Output DERWENT; ISM_TDB USPAT; Output DERWENT; ISM_TDB USPAT  Output DERWENT  Output DERWENT  Output DERWENT  Output DERWENT  Output DERW	/05/05 16:13 /05/05 16:12 /05/05 16:11 /05/05 16:13
DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT IBM_TDB USPAT  Output DERWENT; ISM_TDB USPAT  Output DERWENT; ISM_TDB USPAT; Output DERWENT; ISM_TDB USPAT  Output DERWENT  Output DERWENT  Output DERWENT  Output DERWENT  Output DERW	/05/05 16:13 /05/05 16:12 /05/05 16:11 /05/05 16:13
Solution   Comparison   Compa	/05/05 16:13 /05/05 16:12 /05/05 16:11 /05/05 16:13
Solution   Comparison   Compa	/05/05 16:13 /05/05 16:12 /05/05 16:11 /05/05 16:13
near2 handling) and device near3 driver    Description of the proof of	/05/05 16:13 /05/05 16:12 /05/05 16:11 /05/05 16:13
device adj driver same (error adj handling)  device adj driver same (error adj handling)  device adj driver same (error adj handling)  and (real\$time real adj time)  device adj driver same (error adj handling)  same (automatic on\$fly on adj fly dynamically)  ((real adj time) real\$time) with (error near2 handling) and web and server  ((real adj time) real\$time) with (error near2 handling) and web and server  ((real adj time) real\$time) with (error near2 handling) and web and server and (device adj driver)  (device adj driver same (error adj handling) same automatic  EPO; JPO; DERWENT; IBM_TDB USPAT  O device adj driver same (error adj handling) same automatic	/05/05 16:12 /05/05 16:11 /05/05 16:13
DERWENT; IBM_TDB USPAT  O device adj driver same (error adj handling) and (real\$time real adj time)  device adj driver same (error adj handling) and (real\$time real adj time)  device adj driver same (error adj handling) same (automatic on\$fly on adj fly dynamically)  ((real adj time) real\$time) with (error near2 handling) and web and server  ((real adj time) real\$time) with (error near2 handling) and web and server and (device adj driver)  (device adj driver same (error adj handling) USPAT;  USPAT  O device adj driver same (error adj handling) Same automatic	/05/05 16:12 /05/05 16:11 /05/05 16:13
device adj driver same (error adj handling) device adj driver same (error adj handling) and (real\$time real adj time) device adj driver same (error adj handling) and (real\$time real adj time)  device adj driver same (error adj handling) same (automatic on\$fly on adj fly dynamically)  ((real adj time) real\$time) with (error near2 handling) and web and server  ((real adj time) real\$time) with (error near2 handling) and web and server  ((real adj time) real\$time) with (error near2 handling) and web and server and (device adj driver)  (device adj driver same (error adj handling) same automatic	/05/05 16:12 /05/05 16:11 /05/05 16:13
device adj driver same (error adj handling) device adj driver same (error adj handling) and (real\$time real adj time) device adj driver same (error adj handling) same (automatic on\$fly on adj fly dynamically)  ((real adj time) real\$time) with (error near2 handling) and web and server  ((real adj time) real\$time) with (error near2 handling) and web and server  ((real adj time) real\$time) with (error near2 handling) and web and server and ((device adj driver)  (device adj driver same (error adj handling) same automatic	/05/05 16:12 /05/05 16:11 /05/05 16:13
device adj driver same (error adj handling) and (real\$time real adj time)  device adj driver same (error adj handling) uspat  device adj driver same (error adj handling) same (automatic on\$fly on adj fly dynamically)  ((real adj time) real\$time) with (error uspat; EPO; JPO; DERWENT; IBM_TDB  ((real adj time) real\$time) with (error uspat; EPO; JPO; DERWENT; IBM_TDB (device adj driver)  (device adj driver same (error adj handling) uspat  device adj driver same (error adj handling) uspat	/05/05 16:12 /05/05 16:11 /05/05 16:13
and (real\$time real adj time) device adj driver same (error adj handling) same (automatic on\$fly on adj fly dynamically)  ((real adj time) real\$time) with (error near2 handling) and web and server  ((real adj time) real\$time) with (error near2 handling) and web and server and (device adj driver)  (device adj driver same (error adj handling) same automatic  and (real\$time real adj time) USPAT  USPAT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT  2004	/05/05 16:11 /05/05 16:13
device adj driver same (error adj handling) same (automatic on fly on adj fly dynamically)  ((real adj time) real time) with (error near2 handling) and web and server  ((real adj time) real time) with (error near2 handling) and web and server  ((real adj time) real time) with (error near2 handling) and web and server and (device adj driver)  (device adj driver same (error adj handling) same automatic	/05/05 16:13
same (automatic on fly on adj fly dynamically)  ((real adj time) real time) with (error near2 handling) and web and server  ((real adj time) real time) with (error near2 handling) and web and server  ((real adj time) real time) with (error near2 handling) and web and server and (device adj driver)  (device adj driver same (error adj handling) uspat  (device adj driver same (error adj handling) uspat  (device adj driver same (error adj handling) uspat	/05/05 16:13
dynamically)  ((real adj time) real\$time) with (error us-pgpub; epo; Jpo; Derwent; Ibm TDB  ((real adj time) real\$time) with (error uspat; Ibm TDB uspat; epo; Jpo; near2 handling) and web and server and (device adj driver)  device adj driver same (error adj handling) uspat  dynamically)  (Uspat; Epo; Jpo; Derwent; Epo; Jpo; Derwent; Ibm TDB uspat; I	·
7 ((real adj time) real\$time) with (error near2 handling) and web and server  9 ((real adj time) real\$time) with (error DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; (device adj driver)  1 device adj driver same (error adj handling) USPAT 2004	·
near2 handling) and web and server  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; 100 ((real adj time) real\$time) with (error near2 handling) and web and server and (device adj driver)  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT  O device adj driver same (error adj handling) Same automatic	·
- 3 ((real adj time) real\$time) with (error near2 handling) and web and server and (device adj driver)  - 0 device adj driver same (error adj handling)  device adj driver same (error adj handling)  same automatic	
- 3 ((real adj time) real\$time) with (error near2 handling) and web and server and (device adj driver)  - 0 device adj driver same (error adj handling) USPAT 2004  device adj driver same (error adj handling) USPAT 2004	
- 3 ((real adj time) real\$time) with (error near2 handling) and web and server and (device adj driver)  - 0 device adj driver same (error adj handling) USPAT 2004  device adj driver same (error adj handling) USPAT 2004	
- 3 ((real adj time) real\$time) with (error near2 handling) and web and server and (US-PGPUB; EPO; JPO; DERWENT; IBM_TDB uspar and device adj driver same (error adj handling) uspar 2004	
near2 handling) and web and server and US-PGPUB; (device adj driver) EPO; JPO; DERWENT; IBM_TDB USPAT 2004	100/00 10 10
(device adj driver)  - (device adj driver)  - DERWENT;  IBM_TDB  USPAT  200- same automatic	/05/05 16:13
DERWENT; IBM_TDB USPAT  o device adj driver same (error adj handling) same automatic	
- 0 device adj driver same (error adj handling) USPAT 2004	
- 0 device adj driver same (error adj handling) USPĀT 2004 same automatic	
same automatic	105 105 16 14
	/05/05 16:14
I Di dottado adei desistan demo / accesa adei handiina) IIIODAM   000	105 105 36 34
	/05/05 16:14
same remotely	105/05 36 03
	/05/05 16:21
"5426583"   "5438657"   "5457784"	
"5608874"   "5630076"   "5630101"	
"5634010"   "5638517"   "5666553"	
"5680618"   "5701423"   "5701476"	
"5708828"   "5729730"   "5793961"	
"5960394"   "6026454"   "6032203"     "6041344"     "6047081"     "6070189"	
"6041344"   "6047081"   "6070199"     "6313574"   "6375860"   "6300060"	
"6212574"   "6275869"   "6298069"     "6336124"   "6338705"   "6370500"	
"6336124"   "6339795"   "6370590"	
"6389388"   "6557026").PN.	105105 55 55
	/05/05 16:20
	/05/05 16:20
	/05/05 16:37
"5426583"   "5438657"   "5457784"	
"5608874"	
"5634010"   "5638517"   "5666553"	
"5680618"   "5701423"   "5701476"	
"5708828"   "5729730"   "5793961"	1
"5960394"	
"6041344"   "6047081"   "6070199"	
"6212574"   "6275869"   "6298069"	
"6336124"   "6339795"   "6370590"	
"6389388"   "6557026").PN.) and error adj	
handling	10-1-
	/05/05 16:39
device adj driver	10-1
	/05/05 16:52
	/05/05 16:59
diagnostic	

-	75	(dell.as. ibm.as. microsoft.as hp.as.	USPAT	2004/05/05 17:00
		compaq.as. gateway.as.) and device adj		
		driver and diagnostic		
-	3	(dell.as. ibm.as. microsoft.as hp.as.	USPAT	2004/05/05 17:04
		compaq.as. gateway.as.) and device adj		
		driver and diagnostic and web and error and		
		handling		
-	4310	(dell.as. ibm.as. microsoft.as hp.as.	USPAT	2004/05/06 20:33
		compaq.as. gateway.as.) or ( (device adj		
		driver) and diagnostic and web and (error		
		adj handling))		